

PORT INFORMATION — GORONTALO

Region VII
Marine Operations Area Sulawesi



**UPDATE :
JUNE 2025**

PT. PERTAMINA PORT & LOGISTICS



Pertamina Oil Terminal Gorontalo is a private terminal owned by PT. Pertamina Patra Niaga – Integrated Terminal Gorontalo Region VII Sulawesi and operated by PT. Pertamina Port & Logistics – Marine Operations Gorontalo – Region VII Sulawesi.

The Jetty is a **pile-supported concrete cap jetty** that next to the **Channel Bone River**, this type of construction ensures the Jetty's stability and resilience, making it capable of withstanding the forces of tides and currents. Integrated Terminal Gorontalo have one Jetty, **24-hour operations** are permitted, allowing for continuous unloading petroleum products, which is crucial for maintaining the supply chain of petroleum products in the Gorontalo Supply Point Area. The Vessels are berthing / unberthing process at Gorontalo Port have to assisted by a **pilot** and **tugboats** from Pelindo because Gorontalo Port is a **mandatory pilotage** port.

PT. PERTAMINA PORT & LOGISTICS



PORT GORONTALO

No	Sarana Tambat	Koordinat	Kapasitas (DWT)		LOA (m)		Kedalaman (-mLWS)	
			Min	Max	Min	Max	Kolam	Alur
1	Jetty Gorontalo	00° 30' 40.00" N / 123° 03' 39.00" E 00° 30' 37.00" N / 123° 03' 38.00" E 00° 30' 34.00" N / 123° 03' 36.00" E	1500	6500	70	120	5.5 (Kondisi Saat ini)	20

Nama Terminal : Integrated Terminal Gorontalo
 Alamat : Jl. Yos Sudarso no.06 Kel. Tenda Kec. Hulontalo - Gorontalo
 Peta Laut :
 Waktu Operasi : 24 Jam
 Status Perairan : Wajib Pandu (Pelayanan Kapal Tunda dari PELINDO)
 Jenis Dasar Laut : Tanah Lempung & Pasir
 Local Time Zone : GMT +8
 Area Berlabuh : Zona A - 00° 30' 05.8045" LU / 123° 03' 53.8399" BT (Area Labuh Jangkar)
 Zona B - 00° 30' 11.6191" LU / 123° 03' 27.0757" BT (Area Labuh Keadaan Darurat)
 Zona C - 00° 30' 10.3584" LU / 123° 03' 05.5968" BT (Area Labuh Muatan Berbahaya)
 Zona D - 00° 29' 42.3704" LU / 123° 03' 51.8638" BT (Area Labuh Kapal Mati)


6/17/2025

www.pertamina-ppl.com

PT. PERTAMINA PORT & LOGISTICS



PORT LAYOUT & ARRANGEMENT :



Ship's Size			Forward			After		
			Head Lines	Breast Lines	Spring Lines	Stern Lines	Breast Lines	Spring Lines
1.	1.500 - 10.000	DWT	3	2	2	3	2	2

Under normal conditions is capable of handling the following product(s):

No	Product	Hose	Max. Disch. Rate (kL per Hour)	Max. Pressure (kg/cm ²)
1	PREMIUM	1 x 6"	370	1
2	PERTAMAX	1 x 6"	370	1
3	SOLAR (HSD)	1 x 6"	370	1
4	AVTUR	1 x 6"	370	1

WEATHER & CLIMATE

Tidal Top High	: 1.50 m LWS
Average High	: 1.2 m LWS
High High Water Spring	: 1.0 m LWS
Mean Sea Level	: 6.0 m LWS
Low Low Water Spring	: 0.2 m LWS
Wind	: Max. Speed : 4 - 15 knots

- Ship Agency Services : Pengurusan semua sertifikat / Dokumen Kapal (Surat Laut, Surat Ukur, IAPP, IOPP, ISPP, SSCEC, Anti Fouling, Water Ballast, Health Book sdt) / ABK (Sijil dan Buku Pelaut).
- Komunikasi Radio : SAILOR COMPACT VHF RT2408 Channel: VHF 09, 12, 16 (Office)
Standard Horizon HX400 Chanel : VHF 09 (Portable)
- Fasilitas Air Tawar : Tersedia (50 KL / Jam)

6/17/2025

www.pertamina-ppl.com

PT. PERTAMINA PORT & LOGISTICS

FASILITAS KAPAL KECIL RINGAN : Tersedia

No	Jenis Sarana Apung	Jumlah	Horse Power	Status	Remarks
1	RIB Gorontalo	1 (satu) unit	2 x 40 PK	Milik	Ready
2	Rubber Boat	1 (satu) unit	25 PK	Milik	Ready

FASILITAS PENANGGULANGAN TUMPAHAN MINYAK : Tersedia

No	Jenis	Jumlah
1	Oil Boom	400 Meter
2	Oil Skimmer	2 Units
3	Oil Spill Dispersant	3135 Liter
4	Oil Dispersant Pump	1 Unit
5	Oil Sorbent Pad & Boom	@15 box
6	Oil Containment Bag	1 Unit (5 KL)
7	On-land Containment Bag	1 Unit (5 KL)

PT. PERTAMINA PORT & LOGISTICS

EMERGENCY EQUIPMENTS

The Terminal is Equipped **TERMINAL FIRE SYSTEM**, the Fire and Evacuation Alarm Signal in case of Fire within area of Terminal including Tanker Berths Consist of a loud, **prolonged siren 4 x 30 seconds**.

There are **Fire Extinguishers** located at berths, these include wheeled units as well as handled extinguishers & **ISC (International Shore Connection)** 25 meter from Jetty Head.



Warning Noticed are to be posted on the Vessels since berth at Jetty Gorontalo

- **Visitor Restrictios (Ask to Permitted).**
- **Mobile Phone and other electronics equipments must be switched off.**
- **No open lights, matches, or lighters.**
- **Smoking restriction and designated area.**

PT. PERTAMINA PORT & LOGISTICS



TERMINAL SECURITY

Access to the Integrated Terminal Gorontalo is strictly limited to its personnel, vessel crews, pre-approved maintenance or store contractors, government agencies, ship's agent, and cargo inspectors. Any other visitors must be first approved by Security Section of Integrated Terminal Gorontalo – Pertamina Patra Niaga.

Listed below are the requirements for entrance to the Pertamina Gorontalo Terminal.

1. Contractor list and visitor list must be faxed to terminal 24 hrs before arrival of the vessel.
2. Contractor and visitor must have picture ID
3. Visitors must be willing to submit to a search of their vehicles by security personnel before entry to the terminal areas.
4. All Pertamina Gorontalo Terminal rules and regulations concerning safety must be adhered to by personnel entering the jetty area

CONTACT INFORMATION :

Marine Operation : ops.marine.gorontalo@pertamina.com

Berth Schedule : ops.marine.gorontalo@pertamina.com

Puskodal Gorontalo : +62 435 825298 / +628114186336

Gorontalo Fire Fighter : +62 435 825298

Aloe Saboe Hospital : +62 435 821036

Port of Authority : +62 852 404 99 72

Police : +62 435 821110

TNI : +62 435 821056

Immigration : +62 435 827662

Custom : +62 435 821373

Port Quarantine : +62 435 869277

Puskodal Reg VII : +62 411 871 181 / 7011

HSSE Reg VII : +62 411 871 181 / 7401

S&D Reg VII : +62 411 871 181 / 7501

Marine Region VII : +62 411 362 9101

Medical Region VII : +62 811 488 842